SPECIFICATION

TECHNICAL DATA SHEET

4000W Outdoor Power Supply



CET-DY4000 2 > Product Specification

1 > General Performance

- ♦ 4000W Portable Power Station
- Support Wi-Fi , Bluetooth & Voice control
- ♦ Battery:AC charging;solar charging;charging with EV charging station.Battery capacity: 3600W.This 4000W power station can use two or more extra battery for
- Output Ports:AC Output Port,USB Output Port,USB-C Output Port,Car port.
- ♦ UPS function: When after the power grid is suddenly cut off, this product can automatically switch to the battery power supply mode of this product within 15ms.It is recommended to use only one device during use rather


		Output
AC Output	Rated Voltage	100-120V
	Rated Power	3600W
	Peak Power	6000W
AC Output	Rated Voltage	220-240V
	Rated Power	4000W
	Peak Power	6000W
Car port output	Rated Voltage	12V
	Rated Current	10A
	Power	120W (MAX)
USB-A (Output*2)	Rated Voltage- Current	5V-2.4A
	Power	12W (MAX)
USB-A (Output*2)	Rated Voltage- Current	5V-3A,9V-2A,12V-1.5A
	Power	36W (MAX)
USB-C (Output*1)	Rated Voltage- Current	5V/9V/15V-3A,20V-5A
	Power	200W(MAX)
Rv Port output	Rated Current	30A(MAX)
		Input
	Rated Voltage	100-120V
AC/EV Charging Station Input	Rated Current	15A
Station input	Power	1500W(MAX)
AC/EV Charging Station Input	Rated Voltage	220-240V
	Rated Current	10A
	Power	2000W(MAX)
Solar Energy	Rated Voltage	12-150V
	Rated Current	40A
	Power	2000W(MAX)
AC/EV Charging Station+Solar	Power	3500W(MAX)
Station+Solar		Battery
Rated Capacity		3600Wh
Battery Cell Type		Lithium iron phosphate (LiFePO4)
Protection system	High temperature protection	Now temperature protection, over discharge protection, over charge protection, overload protection, short circuit protection, over current protection.
	l .	General
Storage Enviroment		147-1047
Working Temperature		147-1047
Product Size		540* 490*300mm
Pro	duct Net weight	48kg
Certificates		1 CF 2 III 3 PSF 4 UKCA 5 FCC 6 RoHS 7 UN38 3 8 MSDS

SPECIFICATION

TECHNICAL DATA SHEET

3 > Product Introduction

3.1 Appearance introduction



1 Power On/Off

2. 2000W Max EV Input

4. USB-A Output *4

5 DV Port 30A

6. AC Output *4(US 20A Max)

8. LED Display

9. USB-C Output *2(PD100W Max)

10. AC Input

11. Solar Input XT60 2000W Max(12-150v)

3.2 Introduction of diaplay icon



8. AC load icon 9. DC load icon 10. AC switch icon

4 > Packing Information

4000W Portable Power Station×1 MC4 TO XT60 charging cable x1



AC Charging Cable ×1 User Manual and warranty card x 1





Item	Quantity	G.W / CTN	Carton Size
CET-DY4000	1 PCS/CTN	52.55kg	76.4*41.4*59.5cm

5 > Warranty (1-Year-Limited)

stances but not limited to:

- The appearance of the product is damaged after use;
- Product performance failure caused by human factors
- mbly and repair by non staff members without pe
- Damage caused by irresistible factors such as natural disasters, lightning and

6 > Company Information

Camel Electronic Technology Co., Ltd.

Shenyang Office: No. 741-12 Shenying Street, Hunnan District, Shenyang City, Liaoning Province, China

Guangzhou Office: No.178 Longtang Middle Street, Zhongluotan, Baiyun District, Guangzhou City, Guangdong Province, CN

Email: info@camelet.com Official Website: https://www.camelet.com

